First Hit

End of Result Set

Cenerate Collection Public

L7: Entry 1 of 1

File: DWPI

Feb 4, 1999

DERWENT-ACC-NO: 1999-142714

DERWENT-WEEK: 200341

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Paper laminated metal sheet providing strength, workability and good design quality

INVENTOR: IKEDA, M; ISHIMOTO, K; KII, T; KISHIDA, N; NAKAMOTO, T; NAKAMURA, H; ISHIMOTO, T

PATENT-ASSIGNEE:

| ASSIGNEE | CODE |
|---------------------------------------|-------|
| DANTANI CORP | DANT |
| KOBE SEIKO SHO KK | KOBM |
| MITSUI & CO LTD | MITA |
| MITSUI BUSSAN CONSTR MATERIALS CO LTD | MITA |
| TOKYO COLOR GRAVURE IND CO LTD | TOKCN |
| DANTANI SANGYO KK | DANT |
| KOBE STEEL LTD | KOBM |
| MITSUI BUSSAN KK | MITA |
| MITSUI BUSSAN TEKKO KENZAI KK | MITSN |
| TOKYO COLOUR GRAVURE KOGYO KK | TOKCN |

PRIORITY-DATA: 1998JP-0063752 (March 13, 1998), <u>1997JP-0198624</u> (July 24, 1997), 1997JP-0198625 (July 24, 1997), 1998JP-0063751 (March 13, 1998)

| ,, | Search Selected Search ALL Clear |
|----------------|----------------------------------|
| | |
| PATENT-FAMILY: | Thomas to |

| THI LIMITHI. | 1 han acc | 170 | | |
|------------------|-------------------|----------|-------|------------|
| PUB-NO | PUB-DATE Changed | LANGUAGE | PAGES | MAIN-IPC |
| WO 9904969 A1 | February 4, 1999 | J | 031 | B32B015/12 |
| JP 11091036 A | April 6, 1999 | | 010 | B32B015/12 |
| AU 9874500 A | February 16, 1999 | | 000 | B32B015/12 |
| EP 930155 A1 | July 21, 1999 | E | 000 | B32B015/12 |
| JP 2967083 B1 | October 25, 1999 | | 010 | B32B015/12 |
| JP 11320759 A | November 24, 1999 | | 011 | B32B015/12 |
| CN 1234766 A | November 10, 1999 | | 000 | B32B015/12 |
| AU 728457 B | January 11, 2001 | | 000 | B32B015/12 |
| KR 2000068604 A | November 25, 2000 | | 000 | B32B015/12 |

| US 6277468 B1 | August 21, 2001 | 000 | B32B003/00 |
|---------------|-----------------|-----|------------|
| JP 3273756 B2 | April 15, 2002 | 009 | B32B015/12 |
| KR 330926 B | April 3, 2002 | 000 | B32B015/12 |

DESIGNATED-STATES: AU CA CN KR US AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE AT BE DE FR GB IT NL

| APPLICATION-DATA: | | | |
|-------------------|----------------|----------------|----------------|
| PUB-NO | APPL-DATE | APPL-NO | DESCRIPTOR |
| WO 9904969A1 | May 21, 1998 | 1998WO-JP02252 | |
| JP 11091036A | March 13, 1998 | 1998JP-0063751 | |
| AU 9874500A | May 21, 1998 | 1998AU-0074500 | |
| AU 9874500A | | WO 9904969 | Based on |
| EP 930155A1 | May 21, 1998 | 1998EP-0921765 | |
| EP 930155A1 | May 21, 1998 | 1998WO-JP02252 | |
| EP 930155A1 | | WO 9904969 | Based on |
| JP 2967083B1 | July 9, 1998 | 1998JP-0194737 | |
| JP 11320759A | July 9, 1998 | 1998JP-0194737 | |
| CN 1234766A | May 21, 1998 | 1998CN-0801041 | |
| AU 728457B | May 21, 1998 | 1998AU-0074500 | |
| AU 728457B | | AU 9874500 | Previous Publ. |
| AU 728457B | | WO 9904969 | Based on |
| KR2000068604A | May 21, 1998 | 1998WO-JP02252 | |
| KR2000068604A | March 20, 1999 | 1999KR-0702415 | |
| KR2000068604A | | WO 9904969 | Based on |
| US 6277468B1 | May 21, 1998 | 1998WO-JP02252 | |
| US 6277468B1 | May 13, 1999 | 1999US-0269171 | |
| US 6277468B1 | • | WO 9904969 | Based on |
| JP 3273756B2 | March 13, 1998 | 1998JP-0063751 | |
| JP 3273756B2 | | JP 11091036 | Previous Publ. |
| KR 330926B | May 21, 1998 | 1998WO-JP02252 | |
| KR 330926B | March 20, 1999 | 1999KR-0702415 | |
| KR 330926B | | KR2000068604 | Previous Publ. |
| •- | | | |

INT-CL (IPC): B32 B 3/00; B32 B 15/12; B32 B 27/10; B32 B 33/00

ABSTRACTED-PUB-NO: US 6277468B

BASIC-ABSTRACT:

KR 330926B

NOVELTY - The sheet includes a single sheet of paper, laminated on at least one side of the metal sheet, with pressure sensitive adhesive layer between. There is a protective layer formed on the outermost layer on the paper laminated side. It can be processed while preventing cracks in the sheet of paper without wetting the sheet of paper with water, so that it is possible to keep a design quality of paper over a long term.

WO 9904969

ADVANTAGE - The sheet possesses adequate strength and workability of metal, and

provides an excellent design quality which cannot normally be expected of a metal sheet, so that it is useful as a new material applicable to various fields. ABSTRACTED-PUB-NO:

WO 9904969A EQUIVALENT-ABSTRACTS:

NOVELTY - The sheet includes a single sheet of paper, laminated on at least one side of the metal sheet, with pressure sensitive adhesive layer between. There is a protective layer formed on the outermost layer on the paper laminated side. It can be processed while preventing cracks in the sheet of paper without wetting the sheet of paper with water, so that it is possible to keep a design quality of paper over a long term.

ADVANTAGE - The sheet possesses adequate strength and workability of metal, and provides an excellent design quality which cannot normally be expected of a metal sheet, so that it is useful as a new material applicable to various fields.

CHOSEN-DRAWING: Dwg.1/4

TITLE-TERMS: PAPER LAMINATE METAL SHEET STRENGTH WORK DESIGN QUALITY

DERWENT-CLASS: P73

CPI-CODES: A11-B09A2; A12-D04; A12-R01;

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1999-103716

Hit List



Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: WO 9904969 A1, JP 11091036 A, AU 9874500 A, EP 930155 A1, JP 2967083 B1, JP 11320759 A, CN 1234766 A, AU 728457 B, KR 2000068604 A, US 6277468 B1, JP 3273756 B2, KR 330926 B

Using default format because multiple data bases are involved.

L10: Entry 1 of 1

File: DWPI

د ل

Feb 4, 1999

DERWENT-ACC-NO: 1999-142714

DERWENT-WEEK: 200341

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Paper laminated metal sheet providing strength, workability and good design

quality

INVENTOR: IKEDA, M; ISHIMOTO, K; KII, T; KISHIDA, N; NAKAMOTO, T; NAKAMURA, H; ISHIMOTO, T

PRIORITY-DATA: 1998JP-0063752 (March 13, 1998), 1997JP-0198624 (July 24, 1997),

1997JP-0198625 (July 24, 1997), 1998JP-0063751 (March 13, 1998)

| PATENT-FAMILY: | / Charge | .40 | | |
|-----------------|-------------------|----------|-------|------------|
| PUB-NO | PUB-DATE | LANGUAGE | PAGES | MAIN-IPC |
| WO 9904969 A1 | February 4, 1999 | J | 031 | B32B015/12 |
| JP 11091036-A | April 6, 1999 | | 010 | B32B015/12 |
| AU 9874500 A | February 16, 1999 | | 000 | B32B015/12 |
| EP 930155 A1 | July 21, 1999 | E | 000 | B32B015/12 |
| JP 2967083 B1 | October 25, 1999 | | 010 | B32B015/12 |
| JP 11320759 A | November 24, 1999 | | 011 | B32B015/12 |
| CN 1234766 A | November 10, 1999 | | 000 | B32B015/12 |
| AU 728457 B | January 11, 2001 | | 000 | B32B015/12 |
| KR 2000068604 A | November 25, 2000 | | 000 | B32B015/12 |
| US 6277468 B1 | August 21, 2001 | • | 000 | B32B003/00 |
| JP 3273756_B2 | April 15, 2002 | | 009 | B32B015/12 |
| KR 330926 B | April 3, 2002 | | 000 | B32B015/12 |

INT-CL (IPC): <u>B32</u> <u>B</u> <u>3/00</u>; <u>B32</u> <u>B</u> <u>15/12</u>; <u>B32</u> <u>B</u> <u>27/10</u>; <u>B32</u> <u>B</u> <u>33/00</u>

| Full Title | e Citation Front | Review Class | ification Date | Reference Sequ | uences Attachmen | Claims KWC Draw. De |
|------------|------------------|--------------|----------------|----------------|------------------|---------------------|
| | | | | | | |
| | | | | | | |
| Clear | Cenerate Col | ection | Print F | wd Refs | Ekwd Refs | Cenerate OACS |
| | | | | | | |

| Terms | Documents |
|-------------------------|-----------|
| 1998JP-0063751.ap,prai. | 1 |

Display Format: - Change Format

Previous Page Next Page Go to Doc#

Hit List



Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: WO 9904969 A1, JP 11091036 A, AU 9874500 A, EP 930155 A1, JP 2967083 B1, JP 11320759 A, CN 1234766 A, AU 728457 B, KR 2000068604 A, US 6277468 B1, JP 3273756 B2, KR 330926 B

Using default format because multiple data bases are involved.

L7: Entry 1 of 1

File: DWPI

Feb 4, 1999

DERWENT-ACC-NO: 1999-142714

DERWENT-WEEK: 200341

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Paper laminated metal sheet providing strength, workability and good design quality

INVENTOR: IKEDA, M; ISHIMOTO, K; KII, T; KISHIDA, N; NAKAMOTO, T; NAKAMURA, H; ISHIMOTO, T

PRIORITY-DATA: 1998JP-0063752 (March 13, 1998), <u>1997JP-0198624</u> (July 24, 1997), 1997JP-0198625 (July 24, 1997), 1998JP-0063751 (March 13, 1998)

Same Who PATENT-FAMILY: PUB-NO LANGUAGE PAGES MAIN-IPC WO 9904969 A1 February 4, 1999 J 031 B32B015/12 April 6, 1999 010 B32B015/12 JP 11091036 A February 16, 1999 000 B32B015/12 AU 9874500 A July 21, 1999 000 B32B015/12 EP 930155 A1 Ε October 25, 1999 JP 2967083 B1 010 B32B015/12 JP 11320759_A November 24, 1999 011 B32B015/12 November 10, 1999 000 CN 1234766 A B32B015/12 January 11, 2001 000 B32B015/12 AU 728457 B November 25, 2000 000 B32B015/12 KR 2000068604 A August 21, 2001 000 B32B003/00 US 6277468 B1 April 15, 2002 009 B32B015/12 JP 3273756 B2 KR 330926 B April 3, 2002 000 B32B015/12

INT-CL (IPC): <u>B32</u> <u>B</u> <u>3/00</u>; <u>B32</u> <u>B</u> <u>15/12</u>; <u>B32</u> <u>B</u> <u>27/10</u>; <u>B32</u> <u>B</u> <u>33/00</u>

Full Title Citation Front Review Classification Date Reference Sequences Affections Claims KMC Draw. Do

| Terms | | Documents | • | |
|-------------------------|--|-----------|---|---|
| 1997JP-0198624.ap,prai. | | | | 1 |

Display Format: - Change Format

Previous Page Next Page Go to Doc#